

# Chicken anti-Rabbit IgG (H&L), HRP conjugated



Cat. No. APA-GA-010

Lot. No. (See product label)

---

## Product Name

Chicken anti-Rabbit IgG (H&L), HRP conjugated

## Host

Chicken

## Immunogen

Purified Rabbit IgG

## Background

Chicken anti-rabbit IgG (H&L) is a secondary antibody conjugated to HRP which binds to rabbit IgG (H&L) in immunological assays.

## Format

Lyophilized

## Clonality

Polyclonal

## Purity

Immunogen affinity purified chicken IgY.

## Quantity

1 mg

## Reactivity

Rabbit IgG (H&L)

## Confirmed reactivity

Rabbit IgG (H&L)

## Predicted reactivity

Rabbit IgG (H&L)

## Not reactive in

No confirmed exceptions from predicted reactivity are currently known

## Reconstitution

For reconstitution add 1.1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Centrifuge to remove any particulates, Prepare fresh working dilutions daily

## Tested applications

ELISA (ELISA) , Immunohistochemistry (IHC), Western blot (WB)

## Recommended dilution

The optimal working dilution should be determined by the investigator

## Storage

Store non-diluted antibody at 2-8°C. For storage at -20°C dilute antibody solution with an equal volume of glycerol to obtain final glycerol concentration of 50 % to prevent loss of enzymatic activity. Such solution will not freeze in

---

**FOR RESEARCH OR FURTHER MANUFACTURING USE ONLY**

---

# Chicken anti-Rabbit IgG (H&L), HRP conjugated



*Cat. No.* APA-GA-010

*Lot. No.* (See product label)

---

-20°C. If you are using a 1:5000 dilution prior to diluting with glycerol, then you would need to use a 1:2500 dilution after adding glycerol. Prepare working dilution prior to use and then discard, Be sure to mix well but without foaming.

---

**FOR RESEARCH OR FURTHER MANUFACTURING USE ONLY**

---